

|   |       |   |   |                  |
|---|-------|---|---|------------------|
| - | 179   | decompress\$6 with (reason\$2 or advantag\$4) with stor\$4                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 14:34 |
| - | 136   | (decompress\$6 with (reason\$2 or advantag\$4) with stor\$4) and @ay<2000 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 14:34 |
| - | 28454 | compress\$6 same decompress\$6  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 14:44 |
| - | 8663  | 725/\$.ccls.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 14:44 |
| - | 792   | (compress\$6 same decompress\$6) and 725/\$.ccls.                         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 14:44 |
| - | 485   | ((compress\$6 same decompress\$6) and 725/\$.ccls.) and @ay<2000          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 14:55 |
| - | 2172  | database with search\$4 with key  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 15:13 |
| - | 1022  | (database with search\$4 with key) and @ay<2000                           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 15:13 |
| - | 1827  | database with search\$4 with index  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 15:13 |
| - | 911   | (database with search\$4 with index) and @ay<2000                         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 15:13 |
| - | 217   | database with (search adj index)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 15:29 |
| - | 104   | (database with (search adj index)) and @ay<2000                           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 15:14 |

|   |       |   |   |                  |
|---|-------|---|---|------------------|
| - | 146   | (encrypt\$6 with key with (freq or frequenc\$4)) and @ay<2000                 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 13:42 |
| - | 197   | (compress\$6 with encrypt\$6) and 725/\$.ccls.                                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 13:43 |
| - | 192   | 725/134.ccls.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 13:43 |
| - | 107   | 725/134.ccls. and compress\$6   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 13:43 |
| - | 33    | ((725/134.ccls. and compress\$6) and @ay<2000) and (key)                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 13:44 |
| - | 19    | ((725/134.ccls. and compress\$6) and @ay<2000) and (encrypt\$6 or decrypt\$6) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 13:47 |
| - | 2     | ("6016348").PN.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 13:47 |
| - | 51    | (725/134.ccls. and compress\$6) and @ay<2000                                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 13:57 |
| - | 84212 | compress\$6 with (reason\$2 or advantag\$4)                                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 13:57 |
| - | 64768 | (compress\$6 with (reason\$2 or advantag\$4)) and @ay<2000                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 13:57 |
| - | 2838  | compress\$6 with (reason\$2 or advantag\$4) with stor\$4                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 14:34 |
| - | 1989  | (compress\$6 with (reason\$2 or advantag\$4) with stor\$4) and @ay<2000       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 14:34 |

|   |     |  |   |                  |
|---|-----|--|---|------------------|
| - | 20  | database with search with index same compress\$6   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/03/02 15:29 |
| - | 14  | (US-6609251-\$ or US-6604243-\$ or US-6557171-\$ or<br>US-6353930-\$ or US-6151078-\$ or US-6618506-\$ or<br>US-6438556-\$ or US-5745894-\$ or US-5375235-\$ or<br>US-5374951-\$ or US-6115074-\$).did. or (US-20030022643-\$ or<br>US-20010021996-\$ or US-20010052856-\$).did. | USPAT;<br>US-PGPUB                                      | 2004/09/10 14:41 |
| - | 1   | US-5872588-A.DID. and section  | USPAT;<br>US-PGPUB                                      | 2004/09/10 14:41 |
| - | 295 | NIT with tables  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/01 11:37 |
| - | 2   | ("5701161").PN.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/01 11:22 |
| - | 241 | NIT with tables  | USPAT;<br>US-PGPUB                                      | 2004/10/01 11:38 |
| - | 261 | NIT and (plural\$4 or multiple or several) with (provider\$1 or<br>operator\$1 or network\$1)  | USPAT;<br>US-PGPUB                                      | 2004/10/01 11:39 |
| - | 271 | NIT and (plural\$4 or multiple or several) with (provider\$1 or<br>operator\$1 or network\$1)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/01 11:39 |